

Fig. 1

1/10




Fig. 2




Fig. 3

2/10




Fig. 4




Fig. 5

BANDWIDTH PROCESSED BY THE
RECEIVER OF THE REMOTE SERVICE UNITS




Fig. 6




Fig. 7




Fig. 8

4/10




Fig. 9





Fig. 10






Fig. 11

7/10

Fig. 12




Fig. 13




Fig. 14

A	2: 0	1: 1099	1: 1098	1: 1097	1: 1096		1: 1051	1: 1050	1: 1049		1: 1005	1: 1004	1: 1003	1: 1002	1: 1001	1: 1000
TAPS	1	2	3	4	5		50	51	52		96	97	98	99	100	101
B	2: 1	2: 0	1: 1099	1: 1098	1: 1097		1: 1052	1: 1051	1: 1050		1: 1006	1: 1005	1: 1004	1: 1003	1: 1002	1: 1001
TAPS	1	2	3	4	5		50	51	52		96	97	98	99	100	101
C	2: 49	2: 48	2: 47	2: 46	2: 45		2: 0	1: 1099	1: 1098		1: 1054	1: 1053	1: 1052	1: 1051	1: 1050	1: 1049
TAPS	1	2	3	4	5		50	51	52		96	97	98	99	100	101
D	2: 50	2: 49	2: 48	2: 47	2: 46		2: 1	2: 0	1: 1096		1: 1055	1: 1054	1: 1053	1: 1052	1: 1051	1: 1050
TAPS	1	2	3	4	5		50	51	52		96	97	98	99	100	101
E	2: 99	2: 98	2: 97	2: 96	2: 95		2: 50	2: 49	2: 48		2: 4	2: 3	2: 2	2: 1	2: 0	1: 1099
TAPS	1	2	3	4	5		50	51	52		96	97	98	99	100	101

8/10

Fig. 15

9/10





Fig. 16



10/10




Fig. 18

